

# EARTH CONTACT PRODUCTS®

Waterproofing  
Catalog









1-866-327-0007   info@GetEcp.com   [www.GetEcp.com](http://www.GetEcp.com)









# ECP Waterproofing

Crawl Space Encapsulation	pg 1-2
Vapor Barrier	
Tapes	
Dehumidifiers	
Dehumidifier Accessories	
Sump Basins and Accessories	pg 3
Perforated and Non-Perforated Pit	
Pit Extension	
Crawl Space Pit	
Sump Pumps	pg 4-6
Primary/Backup Combo Systems	
Primary Pumps	
Backup Pump Systems	
Batteries	
Accessories	
Interior Drainage	pg 7
Water Channel	
SDS Drain Pipe	
Corrugated Pipe and Fittings	pg 8
Drain Pipe and Fittings	pg 9
EZ Flow Gravel-Free French Drain System	
Crack Injection	pg 10-11
Injection Epoxy	
Injection Polyurethane	
Paste Epoxy	
Injection Accessories	
Dispensing Gun	
Surface Drainage	pg 12-13
Pop-up Emitters	
Catch Basins	
Square and Round Grates	
Bubblers	
Downspout Adapters	
Drywell and Channel Drain	pg 14
Sub-Surface Drainage	pg 15-16
Dimple Board	
Waterproofing Membrane	
Strip Drain	
Carbon Fiber Repair	pg 17
Bowling Wall Laminate and Fabric	
Wall and Floor Crack Repair	

# Crawl Space Encapsulation










ECP Product # Description		Packaging
	WTR-CVB-126 Crawl Space Vapor Barrier – 12 mil, two sheets of high strength virgin polyethylene film laminated together with a third layer of molten polyethylene. 6' x 100' roll	7+ rolls
	WTR-CVB-12 Crawl Space Vapor Barrier – 12 mil, two sheets of high strength virgin polyethylene film laminated together with a third layer of molten polyethylene. 12' x 100' roll	7+ rolls
	WTR-CVB-20 Crawl Space Vapor Barrier – 20 mil, consists of virgin out layers of high strength polyethylene film laminated together with hot molten polyethylene. 12' x 100' roll	7+ rolls
	WTR-CVB-4 Vapor Barrier Seam Tape - 4"x 180' white poly seam tape.	12/case
	WTR-CVF-100 Mechanical fasteners used to attach vapor barrier membrane to the crawl space or basement wall, 1" thumb push fasteners.	each
	WTR-CVB-VC Crawl Space Vent Cover – closes 8" x 16" vent opening. Black.	each

# Crawl Space Encapsulation







ECP Product # Description		Packaging
	WTR-SFD-110 Santa Fe CLASSIC - 110 pints/day, sized for spaces up to 2500 SF. 10' power cord and 8' drain hose.	each
	WTR-SFD-70 Santa Fe Compact 70 - 70 pints/day, sized for spaces up to 1600 SF. 9' power cord and 8' drain hose.	each
	WTR-SFD-90 Santa Fe Advanced 90 - 90 pints/day, sized for spaces up to 2200 SF. 9' power cord and 8' drain hose.	each
	WTR-SFD-100 Santa Fe Advanced 100 - 100 pints/day, Digital controls, adjust settings w/app .	each
	WTR-SFD-SENTRY Santa Fe Sentry - WIFI Monitoring for water, humidity and temperature .	each
	WTR-SFD-HK Dehumidifier Hang Kit - This kit allows the Santa Fe Compact to be hung in the joist space.	each
	WTR-SFD-PK Dehumidifier Pump Kit - Installed with a dehumidification system when condensation needs to be pumped to drain.	each
	WTR-SFD-FIL-CO Santa Fe Compact Dehumidifier Filters 4-Pack	each
	WTR-SFD-FIL Santa Fe Advanced Dehumidifier Filters 4-Pack	each
	WTR-SFD-FILC Santa Fe Classic Dehumidifier Filters 4-Pack	each



# Sump Basins

ECP Product # Description		Packaging
	WTR-SPP Sump Basin – perforated. Patented “bell” design allows more water into basin before pump is activated. 26" tall, 18" diameter at top and 24" diameter at bottom. Clear lid included. Radon approved.	20
	WTR-SPN Sump Basin – Non-perforated. Patented “bell” design allows more water into basin before pump is activated. 26" tall, 18" diameter at top and 24" diameter at bottom. Clear lid included. Radon approved.	20
	WTR-SPC Crawl Space Sump Pit – 16" tall pit that can be used in crawl spaces or installs requiring a shallow pit. Clear lid included.	24
	WTR-SPE Sump Basin Extension – 12" extension for our sump basin. Bolted with rubber gasket for tight, sealed connection with basin.	24
	WTR-SPP-22 Sump Basin – perforated Black 22" tall X 18" diameter. 20gal capacity.	
	WTR-SPL-22 Sump Basin Lid – Solid lid for 20 gal sump basin.	
	WTR-SPL-22S Sump Basin Lid – Slotted lid for 20 gal sump basin.	
	WTR-SPS-22 Sump Basin Seal – 1 Lid seal for 20 gal sump basin.	
	WTR-SPS-SS Sump Basin Seal Kit – Lid seal, cord grommet, pipe grommet. Everything you need to fully seal the 20 gal sump basin.	








# Sump Pumps

ECP Product #	Description	Packaging
	<p><b>WTR-BSP-100 (PS-C11)</b></p> <p>Sump Pump-Backup Pump Combo – 1/3 hp, 2770 GPH @ 10' head, primary. 1000 GPH @ 10' head, battery operated, backup pump. 3 yr warranty</p>	Each
	<p><b>WTR-BSP-200 (PS-C22)</b></p> <p>Sump Pump-Backup Pump Combo – 1/3 hp, 2770 GPH @ 10' head, primary. 1730 GPH @ 10' head, battery operated, backup pump. 3 yr warranty.</p>	Each
	<p><b>WTR-BSP-300 (PS-C33)</b></p> <p>Sump Pump-Backup Pump Combo – 1/3 hp, 3000 GPH @ 10' head, primary. 2400 GPH @ 10' head, battery operated, backup pump. 4 yr warranty.</p>	Each
	<p><b>WTR-BUP-17 (PHCC-1000)</b></p> <p>Battery Backup Sump Pump System – 1000 GPH capacity @ 10' head, automatic operation when power goes out, continuous monitoring of battery and pump. 3 yr warranty</p>	Each
	<p><b>WTR-BUP-29 (PHCC-1730)</b></p> <p>Battery Backup Sump Pump System – 1730 GPH capacity @ 10' head, automatic operation when power goes out, continuous monitoring of battery and pump. 3 yr warranty</p>	Each
	<p><b>WTR-BUP-40 (PHCC-2400)</b></p> <p>Battery Backup Sump Pump System – 2400 GPH capacity @ 10' head, automatic operation when power goes out, continuous monitoring of battery and pump. 3 yr warranty</p>	Each

# Sump Pumps

ECP Product #	Description	Each Price	Packaging
	<b>WTR-BSP-53</b> (CIS-33V) Primary Sump Pump – Cast Iron 1/3 hp 3200 GPH @ 10' head. Max head 24'. Will pass 1/2" Solids. 3 year warranty		Each
	<b>WTR-BSP-46</b> (ST1033) Primary Sump Pump – 1/3 hp, 2770 GPH @ 10' head, max head 31', 10' cord, 3 yr warranty.		Each
	<b>WTR-BSP-50</b> (S3033) Primary Sump Pump – 1/3 hp, 3000 GPH @ 10' head, max head 30', 10' cord, 4 yr warranty.		Each
	<b>WTR-BSP-65</b> (S3050) Primary Sump Pump – 1/2 hp, 3900 GPH @ 10' head, max head 33', 10' cord, 4 yr warranty.		Each
	<b>WTR-BSP-S</b> (SF2) Sump Pump Stand – attachment for pump or combo pump, to keep pump from sitting on bottom of basin.		Each


# Backup Batteries/Pump Accessories

ECP Product # Description		Packaging
	WTR-BAT-90 (B-1000) Backup Battery – 12 VDC, 6 hours of continuous run time.	Each
	WTR-BAT-180 (B-2200) Backup Battery – 12 VDC, 8-12 hours of continuous run time.	Each
	WTR-BAT-MF (B12-90) Backup Battery – maintenance free, 12 VDC, 6.5-10 hours of continuous run time.	Each
	WTR-BAT-J (PJC) Battery Jumper Cable – allows dual batteries to be utilized in your backup system, by connecting the two.	Each
	WTR-BAT-A (Z-PACK) Battery Acid – needed for non-maintenance free batteries.	Each
	WTR-BWA (PWA) Water Alarm – includes 6' of wire for remote sensor monitoring. For use in utility room, kitchen, bath and basement. Battery operated.	Each
	WTR-BSP-CV 1 1/2" Check Valve – swing operated, white.	12/box
	WTR-BSP-FRZ Sump Discharge Freeze Protector - 1 1/2" to 4" fitting, installed at ground level of discharge pipe, it allows water to be pumped even if the line is frozen or blocked.	Each
	WTR-BSP-CVP Pro Series Check Valve - screws directly to any 1-1/2" pump discharge and has rubber connection to discharge pipe.	12/box
	WTR-BSP-WiFi Sends emails or text notifications and status alerts to your phone, tablet or computer.	Each








# Interior Drainage

ECP Product # Description		Packaging
	WTR-SDS-WC Water Channel - An interior basement floor drainage system for new construction and retrofitting. Creates a break between the footing and slab allowing water to pass freely. 8.5" wide, 6' long.	50/box
	WTR-SDS-S50 Rubber gasket used to seal out water vapors and soil gases. Installed on the back side of ECP Water Channel with adhesive strip, creating a closed system. 50' rolls.	50' roll
	WTR-SDS-400 2.25" x 4" Rectangular shaped, perforated drain pipe. Comes in 6' lengths of rigid PVC construction.	120 pcs/pallet
	WTR-SDS-90 90° Elbow fitting for SDS drainage system. Rigid PVC construction.	36/box
	WTR-SDS-45 45° Elbow fitting for SDS drainage system. Rigid PVC construction.	12/box
	WTR-SDS-C SDS Coupling Fitting - rigid PVC construction.	32/box
	WTR-SDS-O SDS Outlet Fitting - allows connection of round pipe to SDS	96/box
	WTR-SDS-CO SDS Clean Out Assembly - Fitting installed to allow for service of system.	12/box
	WTR-SDS-CC Cove channel – Seamless water channel drainage system for new construction and retrofitting. Creates a break between the footing and slab allowing water to pass freely. 250ft roll pre-scored for 5" x 10" angle	250' roll
	WTR-SDS-CJ Cove channel cap – molded J channel gives finished look to the cove channel. 1/4" x 8' pcs	75/box









# Corrugated Pipe and Fittings

	<i>ECP Product #</i>	<i>Description</i>	<i>Packaging</i>
	WTR-CP-300	3" drain tile perforated	Each
	WTR-CPS-300	3" drain tile perforated with sock	Each
	WTR-CP-3EC	3" End Cap	Each
	WTR-CP-390	3" 90 Degree Elbow	Each
	WTR-CP-3C	3" Internal Coupler	Each
	WTR-CP-3T	3" Tee	Each
	WTR-CP-400S	4" drain tile solid	Each
	WTR-CPS-400	4" drain tile perforated with sock	Each
	WTR-CP-4EC	4" End Cap	Each
	WTR-CP-490	4" 90 Degree Elbow	Each
	WTR-CP-4C	4" Internal Coupler	Each
	WTR-CP-4T	4" Tee	Each

# Drain Pipe and Fittings






<i>ECP Product # Description</i>		<i>Packaging</i>
	WTR-SDE-300 3" Corrugated Drain Pipe - surrounded by polystyrene aggregate and enclosed in a geotextile mesh. Pipe, aggregate and mesh in one.	90'/bundle
	WTR-SDE-400 4" Corrugated Drain Pipe - surrounded by polystyrene aggregate and enclosed in a geotextile mesh. Pipe, aggregate and mesh in one.	50'/bundle
	WTR-SDE-NP Polystyrene aggregate and enclosed in a geotextile mesh.	50'/bundle
	WTR-SDE-3C 3" Coupling - for corrugated drain pipe system.	60/box
	WTR-SDE-4C 4" Coupling - for corrugated drain pipe system.	36/box
	WTR-SDE-3EC 3" End Cap - for corrugated drain pipe system.	33/box
	WTR-SDE-4EC 4" End Cap - for corrugated drain pipe system.	21/box

# Crack Injection Resins


<i>ECP Product # Description</i>		<i>Packaging</i>
	WTR-022-ECR  Epoxy Crack Paste – epoxy paste primarily used for sealing cracks prior to injection. Low odor, 30 minute set time, 22 oz dual tube cartridge.	12/case
	WTR-256-ECR  Epoxy Crack Paste – epoxy paste primarily used for sealing cracks prior to injection. Low odor, 30 minute set time, 2 gallon kit.	2 Gallon kit
	WTR-022-HYF  Hydrophilic Polyurethane Injection Resin – low viscosity, flexible. 22 oz dual tube cartridge.	12/case
	WTR-022-P1C  Polyurethane Injection Resin - low viscosity, one part, semi-flexible foam. 22 oz dual tube cartridge.	12/case
	WTR-022-ANC  Epoxy Anchoring Adhesive - Excellent ASA Epoxy mortar grout for patching and filling large cavity anchoring holes.	12/case
	WTR-016-ELV  Epoxy Injection Resin - low viscosity. 100% solids, two component, moisture insensitive, epoxies	15/case
	WTR-016-EMV  Epoxy Injection Resin - medium, viscosity. 100% solids, two component, moisture insensitive, epoxies	15/case
	WTR-016-EHV  Epoxy Injection Resin - high viscosity. 100% solids, two component, moisture insensitive, epoxies	15/case










# Crack Injection Accessories

ECP Product # Description		Packaging
	<p>WTR-025-SM</p> <p>Static Mixing Nozzle – ¼" mixing tube for lower viscosity resins.</p>	12/bag
	<p>WTR-050-SM</p> <p>Static Mixing Nozzle – ½" mixing tube for higher viscosity resins.</p>	12/bag
	<p>WTR-025-N</p> <p>Static Mixer Locking Nut – reusable nut used with ¼" or ½" static mixer nozzle.</p>	12/bag
	<p>WTR-025-P</p> <p>Injection Surface Ports – for use with epoxy and polyurethane injection resins. 50/bag.</p>	50/bag
	<p>WTR-025-MGD</p> <p>Manual Dispensing Gun – dual tube set up with ability to dispense 2:1 or 1:1 cartridge.</p>	Each













# Surface Drainage

ECP Product # Description		Packaging
	WTR-400-PUE 4" Pop-Up Emitter – center drive pop-up with spring retract, UV inhibitor, PVC 90° elbow with ¼" drain hole. 40 GPM.	20/case
	WTR-600-PUE 6" Pop-Up Emitter – center spring loaded drive pop-up with UV inhibitor. 100 GPM.	15/case
	WTR-400-GRA 4" Round Grate – structural foam polyolefin grate with UV inhibitor. Open surface area 3.85", 5.04 GPM. Green.	25/case
	WTR-600-GRA 6" Round Grate – structural foam polyolefin grate with UV inhibitor. Open surface area 9.10", 11.92 GPM. Green.	10/case
	WTR-400-ATR 4" Atrium Grate – flat top structural foam polyolefin atrium grate with UV inhibitors. Open surface area 17.00", 22.27 GPM. Green.	20/case
	WTR-601-CB 6" Round Catch Basin – one or two outlets, fits 3 or 4" sewer and drain pipe and 3 or 4" corrugated pipe. Black.	10/case
	WTR-090-CBK 9" x 9" Square Catch Basin Kit - Kit includes catch basin, grate, two outlets and one plug	4/case
	WTR-120-CBK 12" x 12" Square Catch Basin Kit - Kit includes catch basin, grate, two outlets and one plug	4/case









# Drainage Connection Fittings

<i>ECP Product # Description</i>		<i>Packaging</i>
	WTR-234-DSA Downspout Adapter – PVC offset downspout adapter fits 2" x 3" downspout to 4" pipe. White.	30/case
	WTR-344-DSA Downspout Adapter – PVC offset downspout adapter fits 3" x 4" downspout to 4" pipe. White.	25/case
	WTR-400-CBA Basin Adapter – universal 4" adapter, fits 3 & 4" corrugated and sewer and drain pipe. For use with catch basins. Black.	20/case
	WTR-400-BLO Basin Locking Outlet – 3" and 4" universal locking outlet. For use with catch basins. Black.	20/case
	WTR-400-BOO Basin Offset Outlet – 3" and 4" offset universal outlet. For use with catch basin. Black.	20/case
	WTR-400-BAP Basin Adapter Plug – universal plug. For use with catch basins. Black.	20/case
	WTR-400-BO Basin Outlet – universal 4" outlet, fits 3 & 4" corrugated and sewer and drain pipe. For use with catch basins. Black.	20/case







# Drywell and Channel Drain

ECP Product # Description		Packaging	
	WTR-DW	Drywell System - structural foam, round drywell system. 24" diameter, 28.75" high, 49 gal. with 1.5" knockout leaching ports and 4.5" knockout inlet ports. Fits 4" pipe.	Each
	WTR-DWB	Drywell Bottom - 24" diameter with six 1.5" leaching ports and a 4.5" center knockout.	5/box
	WTR-DWI	Drywell Surface Inlet - 6" diameter grate with 4" inlet. 9" high.	8/box
	WTR-500-CD	5" Channel Drain Kit - high impact PVC grate and channel for light traffic. 39.75" long x 5" wide, includes 1 end cap and 1 end outlet. Bottom outlet fits 3/4" S&D fittings.	9/box
	WTR-300-CD	PVC Mini Channel - 3 1/16" wide x 6' long channel made for a 2 3/4" wide grate.	8/box
	WTR-300-GRA	Mini Channel Grate - 3' long pieces x 2 3/4" wide. 14.8 GPM per foot. ADA compliant/heel proof.	16/box
	WTR-345-GRA	Pre-Fabricated Mini Channel 45 Elbow - Grate Included.	each
	WTR-390-GRA	Pre-Fabricated Mini Channel 90 Elbow - Grate Included.	each
	WTR-300-C	Mini Channel Coupling - Used to connect two pieces of Mini Channel.	20/box
	WTR-300-EC	Mini Channel End Cap - Makes the end of the Mini Channel.	20/box
	WTR-300-O	Mini Channel Outlet	each
	WTR-300-S	Stainless Steel Screws - FH#4 x 5/8". Used to attach grate to channel.	64/package











# Sub-Surface Exterior Waterproofing

ECP Product #	Description	Packaging
 WTR-DDB-HLM	MasterSeal HLM 5000 - one-component, moisture-curing, bitumen-modified polyurethane elastomeric waterproofing membrane for exterior below-grade or between-slab applications. 5 gallon bucket.	5 gallon bulk price 55 gal drum/
 WTR-DDB-MEM	Mar-flex 5000 – Water based Heavy-Duty Elastomeric membrane that can applied to almost all foundation types. Pairing the Mar-flex 5000 membrane with an approved Mar-flex drainage board ensures the highest level of protection, and qualifies the product for a limited residential warranty up to 60 years.	5 gallon
 WTR-DDB-250	Waterproofing Membrane - heavy-duty, elastomeric emulsion membrane that is applied to any poured wall foundation. Spray or roller applied. 250 gallon liquid tote.	250 Gal Tote
 WTR-DDB-SUM	ArmorSheet 600 – Self adhering sheet membrane, 60 mil, suitable for installations where the ambient temperature is 400F or above. 215sqft/roll.	20 rolls/pallet
 WTR-DDB-WNT	ArmorSheet 601 – Self adhering sheet membrane, 60 mil, suitable for installations where the ambient temperature is 200F-600F or above. 215sqft/roll.	20 rolls/pallet
 WTR-DDB-P	Solvent based primer for peel and stick membrane. 5 gallon bucket. Covers 1000sqft	5 gallon
 WTR-DDB-MAS	362 All Season Mastic – Heavy bodied trowel grade coating. Excellent for patching tie holes, filling honeycombed areas, and helping seal peel and stick membranes	5 gallon
 WTR-DDB-TS	Waterproofing Membrane - 10 ft. aluminum termination strip for peel and stick membrane.	10ft Section

# Sub-Surface Exterior Waterproofing

<i>ECP Product #</i>	<i>Description</i>	<i>Packaging</i>
 <b>WTR-DDB-400</b>	Dimple Drainage Board With Fabric - residential composite sheet drainage system, 4' x 50' rolls.	6/pallet
 <b>WTR-DDB-800</b>	Dimple Board Sheet Drain - 8' x 65.5' rolls (524 SF), without filter fabric.	12/pallet
 <b>WTR-SSD-600</b>	6" Strip Drain - three dimensional, high flow , drainage core that is w rapped w ith a non-w oven filter fabric. 6" w ide x 165' long rolls, 1" thickness.	16/pallet
 <b>WTR-SSD-EO</b>	6" Strip Drain End Out Connector - used to make the connection from 6" strip drain to 4" plastic pipe.	10/box
 <b>WTR-SSD-S</b>	6" Strip Drain Splice Connector - used to connect tw o sections of 6" strip drain.	10/box
 <b>WTR-SSD-CF</b>	6" Corner Fitting Connection - Used to make corner turns of tw o pieces of 6" strip drain.	10/box

# Carbon Fiber Repair

ECP Product #	Description	Packaging
	<b>WTR-RCF-7</b> Components: (3) 7 Foot Carbon Fiber Straps (2) Tubes of Rhino Epoxy Adhesive (3) Sill Plate Brackets (3) Shear Pin Kits Bolts, washers, epoxy nozzle, gloves and instructions	each
	<b>WTR-RCF-8</b> Components: (3) 8.5 Foot Carbon Fiber Straps (2) Tubes of Rhino Epoxy Adhesive (3) Sill Plate Brackets (3) Shear Pin Kits Bolts, washers, epoxy nozzle, gloves and instructions	each
	<b>WTR-RCF-9</b> Components: (3) 9.5 Foot Carbon Fiber Straps (2) Tubes of Rhino Epoxy Adhesive (3) Sill Plate Brackets (3) Shear Pin Kits Bolts, washers, epoxy nozzle, gloves and instructions	each
	<b>WTR-RCF-10</b> Components: (3) 10.5 Foot Carbon Fiber Straps (3) Tubes of Rhino Epoxy Adhesive (3) Sill Plate Brackets (3) Shear Pin Kits Bolts, washers, epoxy nozzle, gloves and instructions	each
	<b>WTR-RCF-CNR</b> Components: (4) 10 Foot Rhino carbon Fiber Straps (4) Tubes of Rhino Epoxy Adhesive Static Epoxy Nozzle, Gloves and Instructions	each
	<b>WTR-RCF-CRK</b> Crack Repair Kit Components: (2) Tubes of Rhino Epoxy Adhesive (1) 9.5' of 12" Wide Carbon Fiber Static Epoxy Nozzle, Gloves and Instructions	each
	<b>WTR-RCF-8DB</b> 8' of 12" Wide Carbon Fiber Bi-Directional Carbon Fiber	each
	<b>WTR-RCF-CLK</b> Crack Lock Kit Components: (20) Concrete Crack Locks (1) Tube Of Rhino High Strength Epoxy Paste, Nozzle, Gloves, Instructions	each
	<b>WTR-RCF-SK</b> Carbon fiber staples includes 30 Staples	each
	<b>WTR-RCF-W</b> Rhino wipes remove epoxy and practically anything from hands and most surfaces.	6





1-866-327-0007   info@GetEcp.com   www.GetEcp.com